

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(compar\$5 with difference\$5 with between\$5 with printer\$5 with (capabili\$5 model\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 12:36
		(display\$5) with (document\$4 adj2 type\$5) with (select\$5 adj2 (attribut\$5 parameter\$5 character\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 18:18
L1	11287	(358/1.15, 358/1.9, 358/1.11, 358/1.16).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 12:09
L2	79	(document\$5 analyz\$5 find\$5 select\$5 search\$5) with (document\$5 adj2 (format\$5 type\$5)) with (user\$5 adj2 input\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 12:09
L3	4	L1 and L2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 12:09
S1	0	(2003/0140315).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:42
S2	2	("6330542").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 17:31
S3	1	(select\$5 choos\$5 determin\$5) adj4 (document\$4 adj2 type\$5) with (input\$5 adj2 (parameter\$5 character\$7 attribut\$5 setting\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 17:33
S4	0	(select\$5 choos\$5 determin\$5) adj4 (document\$4 adj2 type\$5) with (print\$5 adj2 request\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 17:34

S5	503	(select\$5 choos\$5 determin\$5) adj4 (document\$4 adj2 type\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 17:34
S6	62	(select\$5 choos\$5 determin\$5) adj4 (document\$4 adj2 type\$5) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 17:44
S7	0	S6 and @ad<"2000110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 17:35
S8	31	S6 and @ad<"20001110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 18:15
S9	12	(select\$5 choos\$5 determin\$5 find\$5) adj4 (document\$4 adj2 type\$5) with (base\$5) with (setting\$5 input\$5 parameter\$5 character\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 17:48
S10	25	(select\$5 choos\$5 determin\$5 find\$5) with (document\$4 adj2 type\$5) with (user\$5 operator\$5) adj2 (setting\$5 input\$5 parameter\$5 character\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 18:14
S11	19	auto\$5 adj4 (select\$5 choos\$5 determin\$5 find\$5) with (document\$4 adj2 type\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 18:17
S12	15	S11 and @ad<"20001110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 18:50
S13	2	provider\$5 adj4 (select\$5 choos\$5 determin\$5 find\$5) with (document\$4 adj2 type\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 18:18
S14	2	(display\$5) with (document\$4 adj2 type\$5) with (select\$5 adj2 (attribut\$5 parameter\$5 character\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 18:25

S15	0	(determin\$5 select\$5 find\$5 display\$5) adj4 (document\$5 adj2 type\$5) with (print\$5 adj2 request\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 18:26
S16	0	(determin\$5 select\$5 find\$5 display\$5) adj4 (document\$5 adj2 type\$5) with (print\$5 adj2 job\$5 adj2 character\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 18:26
S17	0	(determin\$5 select\$5 find\$5 display\$5) with (document\$5 adj2 type\$5) with (print\$5 adj2 job\$5 adj2 character\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 18:27
S18	22	(determin\$5 select\$5 find\$5 display\$5) with (document\$5 adj2 type\$5) with base\$5 with input\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 18:31
S19	1	(determin\$5 select\$5 find\$5 display\$5) with (document\$5 adj2 type\$5) with base\$5 with input\$5 adj2 character\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 18:27
S20	0	(print\$5 adj2 provider\$5) with (determin\$5 select\$5 display\$5 find\$5) with ((document product\$5) adj2 type) with ((user\$5 operator\$5) adj2 (input\$5 interest\$5 attribut\$5 parameter\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 18:33
S21	0	(print\$5 adj2 provider\$5) with (determin\$5 select\$5 display\$5 find\$5) with ((document product\$5) adj2 type) with ((user\$5 operator\$5) near4 (input\$5 interest\$5 attribut\$5 parameter\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 18:33
S22	1	(print\$5 adj2 provider\$5) with (determin\$5 select\$5 display\$5 find\$5) with ((document product\$5) adj2 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 18:34
S23	2	("5897260").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:41

S24	1	(find\$5 display\$5 search\$5) adj4 (product\$5 document\$5) adj2 type with base\$5 with (price\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 18:43
S25	45	(find\$5 display\$5 search\$5) with (product\$5 document\$5) with type with base\$5 with (price\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 18:48
S26	1028	(find\$5 display\$5 search\$5) with (product\$5 document\$5) with type same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 18:49
S27	726	(find\$5 display\$5 search\$5) with (product\$5 document\$5) with type with print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 18:49
S28	0	(find\$5 display\$5 search\$5) with (document\$5) adj2 type with base\$3 with price\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 18:50
S29	89	(find\$5 display\$5 search\$5) with (document\$5) adj2 type with base\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 18:57
S30	41	S29 and @ad<"20001110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 19:21
S31	0	(document\$5 adj2 type\$2) adj3 (print\$5 adj2 job\$5 adj2 characteristic\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 18:57
S32	0	(document\$5 adj2 type\$2) near4 (print\$5 adj2 job\$5 adj2 characteristic\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 18:57
S33	0	(document\$5 adj2 type\$2) with (print\$5 adj2 job\$5 adj2 characteristic\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 18:58

S34	18	(document\$5 adj2 type\$2) with (print\$5 adj2 job\$5 near4characteristic\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 18:58
S35	1	(document\$5 adj2 type\$2) with (print\$5 adj2 job\$5 near4characteristic\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 18:59
S36	5	(document\$5 adj2 type\$2) with (print\$5 near4 characteristic\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 19:03
S37	1	determin\$5 with (document\$5 adj2 type\$2) with (print\$5 near4 characteristic\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 19:03
S38	10	determin\$5 with (document\$5 adj2 type\$2) with (print\$5 near4 (characteristic\$5 attribut\$5 request\$5 information\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 19:12
S39	15	determin\$5 with (document\$5 adj2 type\$2) same (print\$5 near4 (characteristic\$5 attribut\$5 request\$5 information\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 19:12
S40	5	S39 not S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 19:19
S41	79	(document\$5 analyz\$5 find\$5 select\$5 search\$5) with (document\$5 adj2 (format\$5 type\$5)) with (user\$5 adj2 input\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 19:33
S42	38	S41 and @ad<"20001110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 19:36
S43	0	(document\$5 analyz\$5 find\$5 select\$5 search\$5) with (document\$5 adj2 (format\$5 type\$5) product\$5 adj2 type\$2) with base\$5 with (print\$2 adj2 medium)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 19:34

S44	32	(document\$5 analyz\$5 find\$5 select\$5 search\$5) with (document\$5 adj2 (format\$5 type\$5) product\$5 adj2 type\$2) with (print\$2 adj2 medium)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 19:35
S45	95	(document\$5 analyz\$5 find\$5 select\$5 search\$5) with (document\$5 adj2 (format\$5 type\$5) product\$5 adj2 type\$2) with (price\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 19:39
S46	32	S45 and @ad<"20001110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 19:39
S47	2163	(document\$5 analyz\$5 find\$5 select\$5 search\$5) with (document\$5 adj2 (format\$5 type\$5) product\$5 adj2 type\$2) with (print\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 19:39
S48	1165	S47 and @ad<"20001110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 19:40
S49	154	(analyz\$5 find\$5 select\$5 search\$5) with (document\$5 adj2 (type\$5) product\$5 adj2 type\$2) with (print\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 19:40
S50	83	S49 and @ad<"20001110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/22 19:40
S51	766	(compar\$5 with differ\$5 with printer\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 12:34
S52	342	(compar\$5 with difference\$5 with printer\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 12:34
S53	155	(compar\$5 with difference\$5 with between\$5 with printer\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 12:36

S54	10	(compar\$5 with difference\$5 with between\$5 with printer\$5 with (capabili\$5 model\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 12:37
S55	4	(compar\$5 determin\$5 analyz\$5) adj4 (differenc\$5) with (capabilit\$5 attribut\$5 parameter\$5) with (printer\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 12:39
S56	1	(compar\$5 determin\$5 analyz\$5) adj4 (printer\$5) adj3 differenc\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 12:50
S57	0	(compar\$5 determin\$5 analyz\$5) adj4 (printer\$5) adj3 capabilit\$%	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 12:50
S58	67	(compar\$5 determin\$5 analyz\$5) adj4 (printer\$5) adj3 capabilit\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 12:08